

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

X678

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

			· · · · · · · · · · · · · · · · · · ·	<u> </u>					
Establishm	ent Name		(food Store #81	Telephone Number 812-923-5074	Date of Inspection PERMIT # (mm/dd/yr)		PERMIT#		
Establishm	ent Addre		umber and street, city, state, zip code)	1 2 (5-102-2011	5-12	-20	l. ` '_		
815	1/19	141	ander Point FK IN 47119				188		
Owner	1/			Purpose:	Follow-up Release Date				
	Krogi	<u>.</u> _	Limited Partner	1. Routine	NO Today				
Owner's A	ddress '	. ?	305703 Nashville, TN 37230	2. Follow-up	Summary of Violations:				
Person in C	VUX	J	103 103 /Vasyville, 11 -	3. Complaint	1 / 5 3				
1 013011 111	Jiai ge	f	Kayla Dearborn	4. Pre-Operational	$c \mid nc S \mid R \mid 2$				
Responsibl	e Person's	E-m		5. Temporary	Menu Type (See back of page)				
			Tarallan	6. HACCP					
Certified F	ood Mana	ger —	Kayla Dearborn 11-8-21	7. Other (list)	(list) 1234_\(\sigmu \)5				
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"									
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"									
Section#	C/NC	R	Narrative			To Be Co	rrected By		
173	C		Observed package of raw 5	acon stored or	41		ected		
			RtE foods in click list	Cooler.					
218	NC		Observed 2 light bulbs out	in doli fave	· ·	3 d	avs		
•			fume hood.	T. CALLETT	<u> </u>				
			Osserved damaged gasket	on walkin		1 w	opk		
·			Freezer causing bottom 1	right to ice up	,				
295	NC	R							
			display case.			,	1		
324	NC		Observed bot missing on bo	Kery wornosh	 !	Twe	eK		
,	/ *		Machine that is causing			· · ·			
422	NC		Observed employee items not clearly today						
			seperated or marked in click-list cooler.						
430	NC	R	Observed door sweep on left retrieving I week						
			duck to be damend & missing screws.						
			- repair or replace.						
									
				-					
Received by (name and title printed): Inspected by (name and title printed):									
Kayla Dearborn Store Manager Thomas Snider, EHS									
Received by (signature); Inspected by (signature);									
4	- 6	w		dear of	Ma	-			
ce:			ee:	-	ee;				

	Floyd County Health Department Inspection Notes							
Gode #, W.C/NC (x 1/2) 2 3 3 2 3 3 2 3 3 2 3 3 3 3 3 3 3 3 3								
			PIC: Kayla Deurborn					
			CFH:					
			Health Policy D-N Food Code: Y-N					
			Email:					
+1								
V	218	NC	2 50/55 in form head fryes					
	7011	111	repar hole on washing machine new Spager					
	324	NC						
			176- Drun Singe Stationery rack 165					
			THE GIVING OF THE					
٤	1295	NCR	Sprayer nozzles produce					
	214	NC 8	gasket scal on Walkin Frezer danged dan suren					
	430	K	danged dar sure a					
	177		Russian our Rte Clapto					
	115		ruggen our the chapters					
	422	NC	endrpe String					
	7 - C							
			·					
		··						
	1							